

Pubblicazioni - Fabiana Arduini:

1. S. Cinti, S. Politi, D. Moscone, G. Palleschi, F. Arduini
Stripping analysis of As(III) by means of screen-printed electrodes modified with gold nanoparticles and carbon black nanocomposite, *Electroanalysis* (2014), accepted.
2. A. Amine, L. El Harrad, F. Arduini, D. Moscone, G. Palleschi
Analytical aspects of enzyme reversible inhibition
Talanta (2014), 118, 368-374
3. M. Portaccio, D. Di Tuoro, F. Arduini, D. Moscone, M. Cammarota, DG Mita, M. Lepore
Laccase Biosensor based on screen-printed electrode modified with thionine-carbon black nano composite for Bisphenol A detection.
Electrochimica Acta (2013), 109, 340-347.
4. F. Arduini, S. Guidone, A. Amine, G. Palleschi, D. Moscone
Acetylcholinesterase biosensor based on self-assembled monolayer-modified gold-screen printed electrodes for organophosphorus insecticide detection.
Sensors and Actuators B (2013), 179, 201-208
5. C. Henriquez, L.M. Laglera, M.J. Alpizar, J. Calvo, F. Arduini, V. Cerdà
Cadmium determination in natural water samples with an automatic multisyringe flow injection system coupled to a flow-through screen printed electrode.
Talanta (2012), 96, 140-146.
6. E.V. Suprun, F. Arduini, D. Moscone, G. Palleschi, V.V. Shumyantseva, A.I. Archakov
Direct Electrochemistry of Heme Proteins on Electrodes Modified with Didodecyldimethyl Ammonium Bromide and Carbon Black
Electroanalysis (2012), 24, 1923-1931
7. F. Arduini, F. Di Nardo, A. Amine, L. Micheli, G. Palleschi, D. Moscone
Carbon black-modified screen-printed electrodes as electroanalytical tools.
Electroanalysis (2012), 24, 743-751
8. J. Calvo Quintana, F. Arduini, A. Amine, K. Van Velzen, G. Palleschi, D. Moscone
Part two: Analytical optimisation of a procedure for lead detection in milk by means of bismuth-modified screen-printed electrodes.
Analytica Chimica Acta (2012) 736, 92-99
9. F. Arduini, D. Neagu, S. Dall'Oglio, D. Moscone, G. Palleschi
Towards a Portable Prototype Based on Electrochemical Cholinesterase Biosensor to be Assembled to Soldier Overall for Nerve Agent Detection.
Electroanalysis (2012), 24, 581-590

10. V. Scognamiglio, I. Pezzotti, G. Pezzotti, J. Cano, I. Manfredonia, K. Buonasera, F. Arduini, D. Moscone, G. Palleschi, M.T. Giardi
Towards an integrated biosensor array for simultaneous and rapid multi-analysis of endocrine disrupting chemicals
Analytica Chimica Acta (2012) 751, 161-170
11. A.N. Ivanov, R.R. Younusova, G.A. Evtugyn, F. Arduini, D. Moscone, G. Palleschi
Acetylcholinesterase biosensor based on single-walled carbon nanotubes – Co phthalocyanine for organophosphorus pesticides detection.
Talanta (2011), 56, 4209-4215
12. D. Di Tuoro, M. Portaccio, M. Lepore, F. Arduini, D. Moscone, U. Bencivenga, D.G. Mita
An acetylcholinesterase biosensor for determination of low concentrations of Paraoxon and Dichlorvos,
New Biotechnology (2011), 29, 132-138
13. J. Calvo Quintana, F. Arduini, A. Amine, F. Punzo, G. Li Destri, C. Bianchini, D. Zane, A. Curulli, G. Palleschi, D. Moscone
Part I: A comparative study of bismuth-modified screen-printed electrodes for lead detection.
Analytica Chimica Acta (2011), 707; 171-177
14. D. Sordi, F. Arduini, V. Conte, D. Moscone, G. Palleschi
Real Time Monitoring of Hydrogen Peroxide Consumption in an Oxidation Reaction in Molecular Solvent and Ionic Liquids by Hydrogen Peroxide Electrochemical Sensor.
CHEMSUSCHEM (2011), 6; 792-796.
Featured in scientific news media (ChemViewsMagazine)
http://www.chemistryviews.org/details/ezine/1075341/Hydrogen_Peroxide_Electrochemical_Sensor.html
15. F. Arduini, C. Majorani, A. Amine, D. Moscone, G. Palleschi
Hg²⁺ detection by measuring thiol groups with a highly sensitive screen-printed electrode modified with a nanostructured carbon black film.
Electrochimica Acta (2011) 56; 4209-4215
16. F. Arduini, J. Quintana Calvo, A. Amine, G. Palleschi, D. Moscone
Bismuth-modified electrodes for lead detection (review).
Trends in analytical chemistry (2010), 29; 1295-1304
17. F. Arduini, A. Amine, C. Majorani, F. Di giorgio, D. De felicis, F. Cataldo, D. Moscone, G. Palleschi.
High performance electrochemical sensor based on modified screen-printed electrodes with cost-effective dispersion of nanostructured carbon black.
Electrochemistry Communications (2010), 12; 346-350.
18. F. Arduini, A. Amine, D. Moscone, G. Palleschi.
Biosensors based on cholinesterase inhibition for pesticides, nerve agents and aflatoxin B1 detection (review).
Microchimica Acta (2010), 170; 193-214.

19. F. Arduini, F. Di Giorgio, A. Amine, F. Cataldo, D. Moscone, G. Palleschi.
Electroanalytical characterisation of carbon black nanomaterial paste electrode. Development of highly sensitive tyrosinase biosensor for catechol detection.
Analytical Letters (2010), 43; 1688-1702.
20. M. Portaccio, D. Di Tuoro, F. Arduini, M. Lepore, D.G. Mita, N. Danio, L. Mita, D. Moscone A thionine-modified carbon paste amperometric biosensor for catechol and bisphenol A determination.
Biosensors & Bioelectronics (2010), 25; 2003-2008.
"Top cited author" in 2010-2011 on Biosensors and Bioelectronics
21. F. Arduini, A. Amine, D. Moscone, G. Palleschi.
Reversible enzyme inhibition-based biosensors: applications and analytical improvement through diagnostic inhibition (review).
Analytical Letters (2009), 42; 1258-1293
22. M. L. Antonelli, F. Arduini, A. Lagana', D. Moscone, V. Siliprandi.
Construction, assembling and application of a trehalase–GOD enzyme electrode system.
Biosensors & Bioelectronics (2009), 24; 1382-1388.
23. I. Ben Rejeb, F. Arduini, A. Arvinte, A. Amine, M. Gargouri, L. Micheli, C. Bala, D. Moscone, G. Palleschi
Development of a bio-electrochemical assay for AFB1 detection in olive oil.
Biosensors & Bioelectronics (2009), 24; 1962-1968.
24. F. Arduini, A. Cassisi , A. Amine, F. Ricci, D. Moscone, G. Palleschi
Electrocatalytic oxidation of thiocholine at chemically modified cobalt hexacyanoferrate screen-printed electrodes.
Journal of Electroanalytical Chemistry (2009), 626; 66-74.
25. D.G. Mita, A. Attanasio, F. Arduini, N. Diano, V. Grano, U. Bencivenga, S. Rossi, A. Amine, D. Moscone
Enzymatic determination of BPA by means of tyrosinase immobilized on different carbon carriers
Biosensors & Bioelectronics (2007), 23; 60-65.
26. F. Arduini, F. Ricci, A. Amine, D. Moscone, G. Palleschi
Fast, sensitive and cost-effective detection of nerve agents in the gas phase using a portable instrument and an electrochemical biosensor
Analytical and Bioanalytical Chemistry (2007), 388; 1049-1057
27. A. Arvinte, F. Valentini, A. Radoi, F. Arduini, E. Tamburri, L. Rotariu, G. Palleschi, C. Bala
The NADH Electrochemical Detection Performed at Carbon Nanofibers Modified Carbon Electrode
Electroanalysis (2007), 19; 1455-1459.
28. F. Arduini, I. Errico, A. Amine, L. Micheli, G. Palleschi, D. Moscone

Enzymatic spectrophotometric method for aflatoxin B detection based on acetylcholinesterase inhibition

Analytical Chemistry (2007), 79; 3409-3415.

29. I. Ben Rejeb, F. Arduini, A. Amine, M. Gargouri, G. Palleschi
Amperometric biosensor based on Prussian Blue-modified screen printed electrode for lipase activity and triacylglycerol determination
Analytica Chimica Acta (2007), 594; 1-8.
30. F. Ricci, F. Arduini, C. S. Tuta, U. Sozzo, D. Moscone, A. Amine, G. Palleschi.
Glutathione amperometric detection based on a thiol-disulfide exchange reaction.
Analytica Chimica. Acta (2006), 558; 164-170.
31. F. Arduini, F. Ricci, C. S.Tuta, D. Moscone, A. Amine, G. Palleschi
Detection of carbamic and organophosphorous pesticides in water samples using cholinesterase biosensor based on Prussian Blue modified screen printed electrode
Analytica Chimica Acta (2006), 580;155-162.
"Top 25 Hottest Article" in October-November 2006
32. F. Arduini, F. Ricci, I. Bourais, A. Amine, D. Moscone, G. Palleschi.
Extraction and Detection of Pesticides by Cholinesterase Inhibition in a Two-phase System: a Strategy to Avoid Heavy Metal Interference.
Analytical Letters (2005), 38; 1703-1719.
33. F. Ricci, F. Arduini, A. Amine, D. Moscone, G. Palleschi
Characterisation of Prussian Blue modified screen printed electrodes for thiol detection.
Journal of Electroanalytical Chemistry (2004), 563; 229-23

Capitoli su libro:

1)F. Arduini, A. Amine (2014)

Biosensors based on enzyme inhibition in:

Adv Biochem Eng Biotechnol 2014;140:299-326. doi: 10.1007/10_2013_224.

2)F. Arduini, G.Palleschi (2013)

Screening and confirmatory methods for the detection of heavy metals in foods in:

Persistent organic pollutants and toxic metals in food, M. Rose and A. Fernandes, WoodPublishing, USA, ISBN:9780857092458

3)F. Arduini, G. Palleschi (2012).

Disposable Electrochemical Biosensor Based on Cholinesterase Inhibition with Improved Shelf-Life and Working Stability for Nerve Agent Detection in:

NATO Science for Peace and Security Series A: Chemistry and Biology Portable Chemical Sensors Weapons Against Bioterrorism. p. 261-278, Dimitrios P. Nikolelis, ISBN: 978940072874

4)D. Moscone, F. Arduini, A. Amine (2011).

A Rapid Enzymatic method for AFB detection in:
Microbial Toxins. Ed:Holst Otto, ISBN/ISSN: 978-1-61779-101-7

5)F. Arduini, A. Amine, D. Moscone, G. Palleschi (2010).
Biosensors for quality and safety control of olive oil: a review (review) in:
Olive Oil and Health. Ed:James D. Corrigan, ISBN/ISSN: 978-1-61761-170-4

6)D.G. Mita ,A. Attanasio, N. Diano, V. Grano, U. Bencivenga, S. Rossi, P. Canciglia, L. Mita, M. Portaccio, F. Arduini, A. Amine, D. Moscone (2007).
Bioremediation and biodetermination of bisphenol A (BPA) in aqueous solutions.
in: The endocrine disruptors. Ed Mita, Marino ISBN: 81-7895-283-1

7)F. Arduini, G. Palleschi (2005).
Detection of pesticide using prussian blue-screen printed biosensors
in: Environmental pollution monitoring, Laboratory guide. Ed: Danet, M. Cheregi, M. Badea,
ISBN/ISSN: 973-0-03916-X.

Proceeding:

1) D. Moscone, F. Arduini (2010).
Biosensors and bioassays based on cholinesterase inhibition for pesticides, nerve agents and aflatoxins detection. In: PHYSICAL CHEMISTRY 2010, BEOGRAD: Society of physical chemists of Serbia, ISBN/ISSN: 978-86-82475-17-0

2) F. Arduini, J. Quintana Calvo, A. Amine, G. Palleschi, D. Moscone (2010).
Disposable electrochemical sensors for heavy metals detection. in: PHYSICAL CHEMISTRY 2010, BEOGRAD: Society of physical chemists of Serbia, ISBN/ISSN: 978-86-82475-17-0

3) F. Arduini, F. Ricci, G. Palleschi, A. Amine, D. Moscone (2005)
Modified screen printed electrodes for glutathione detection. In: SENSORS AND MICROSYSTEMS. Ed: Di Natale, D'Amico, Martinelli, Carotta, Guidi, ISBN/ISSN: 981-256-386-5