

ELENCO DELLE PUBBLICAZIONI
Prof.ssa DANILA MOSCONE

CAPITOLI SU LIBRI:

- 1) M. Massi Benedetti, D. Moscone, G. Calabresi, P. G. Fabietti, D. Arena, S. Sozzi, P. Garzi, E. Bonifacio, S. Cianetti, M. Mascini
System for continuous monitoring of intermediary metabolites.
In: "*Advanced Models for the Therapy of Insulin-dependent Diabetes*", pg. 241-245. Eds P. Brunetti and W. K. Waldhäus. Raven Press, New York, 1987
- 2) M. Mascini, D. Moscone, F. Mazzei
Pyruvate and lactate electrochemical sensor realized with immobilized enzymes for control in artificial pancreas.
In: "*Advanced Models for the Therapy of Insulin-dependent Diabetes*", pg. 247-253. Eds P. Brunetti and W. K. Waldhäus. Raven Press, New York, 1987
- 3) M. Mascini, D. Moscone, G. Palleschi
Design and Applications of Biosensors in Medicine: Study on Artificial Pancreas.
In: "*Chemical Sensor Technology*" vol 1, pg. 221-236. Edited by T. Seyama, Kodanska ltd. Tokio, Japan, 1988.
- 4) M. Mascini, G. Palleschi, D. Moscone, L. Bernardi
Evaluation of glucose and lactate electrochemical biosensors in conjunction with potassium I.S.E. for continuous ex vivo blood measurement in athletes.
In: "*Methodology and Clinical Applications of Ion-Selective Electrodes*", pg. 207-217. Eds. A.H.J. Maas, B. Buckley, A. Manzoni, R.F. Moran, O. Siggaard-Andersen, R. Sprokholt. Printed by Elinkwijk, Utrecht, The Netherlands, 1989.
- 5) M. Mascini, D. Moscone, G. Palleschi
Biosensor Applications of Continuous Monitoring in Clinical Chemistry
In: "*Bioinstrumentation: Research, Development and Application*" Chapter 45 pg. 1429-1460. Butterworths Publisher Boston, USA, 1990.
- 6) M. Mascini, D. Moscone
Electrochemical Biosensors: Application to Some Real Problems.
In: "*Advances in Biosensors*", Vol. 1 pg. 33-72. Edited by A.P.F. Turner. JAI Press Ltd, London, 1991.
- 7) G. Palleschi, M. Bernabei, P. Bertocchi, D. Compagnone, M. G. Lavagnini and D. Moscone
Enzyme Electrode Probes for Determination of Metabolites in Biological Fluids and in the Environment.
In: "*In Vivo Chemical Sensors. Recent Development*" pg. 79-86. Edited by S.J. Alcock and A.P.F. Turner, Cranfield Press, Bedford, UK, 1993.
- 8) D. Moscone, M.A. Desai, U. Ungerstedt, M. Mascini
Microdialysis and Biosensors.
In: "*In Vivo Chemical Sensors. Recent Development*" pg. 139-142. Edited by S.J. Alcock and A.P.F. Turner, Cranfield Press, Bedford, UK, 1993
- 9) A. Amine, D. Moscone and M. Mascini
Microdialysis Probe Coupled with Glucose Biosensor for In Vivo Monitoring: Study of Drift Phenomenon.
In: "*In Vivo Chemical Sensors. Recent Development*" pg. 143-149. Edited by S.J. Alcock and A.P.F. Turner, Cranfield Press, Bedford, UK, 1993.
- 10) D. Moscone, M. Mascini
In Vivo Monitoring with Microdialysis Probe.

- In: "Uses of Immobilized Biological Compounds", pg. 115-122. Edited by G.G. Guilbault and M. Mascini, Kluwer Academic Publishers, Dordrecht, The Netherlands, 1993.
- 11) M. Mascini, D. Moscone and M. Anichini
Biosensors for in vivo monitoring.
In: "Reviews on Analytical Chemistry", pg. 298-307. Edited by D. Littlejohn and D. Thorburn Burns, Published by The Royal Society of Chemistry, Cambridge, UK, 1994.
- 12) D. Moscone and M. Mascini
Optimized biosensors in Clinical Applications In: "Handbook of Biosensors and Electronic Nose: Medicine, Food, and the Environment", chapter 18, pg 409-434. Ed. by E. Kress-Rogers, ATI Sensor Applications Ltd., CRC Press, Ratingen/Homberg, Germany 1997.
- 13) Palleschi, G.; Compagnone, D.; Moscone, D.
Electrochemical biosensors: potential and application in the food industry.
In: Biotechnology in the Food Chain VTT Symposium, 177, pg. 141-160. (Copyright 2003 ACS) 1997.
- 14) D. Moscone, M. Mascini
Biosensors for in vivo applications
In: "Current Topics in Biophysics", vol. 6, pg.176-192. Editor P.T. Frangopol, Al.I. Cuza University Press, Iasi, Romania, 1997.
- 15) D. Compagnone, D. Moscone, G. Palleschi
"Development and application of amperometric biosensors in food analysis"
In: Recent Research Developments in Pure and Applied Chemistry, pg.73-86. S.G. Pandalai Editor, Transworld Research Network, Trivandrum, India, 1998.
- 16) L. Micheli, D. Moscone, S. Marini, S. di Stefano, G. Palleschi,
"Development of disposable immunosensors for rapid assay of seafood toxin",
in Rapid Detection Assay for Food and Water, Ed. S.A. Clark, K.C. Thompson, C.W. Keevil, M.S. Smith, RSC, Cambridge (England), 2001, 190-193. ISBN 0-85404-779-4
- 17) Palleschi, G.; Compagnone, D.; Moscone, D.
Selective electrochemical biosensors for application in food quality control.
In: "Rapid Detection Assays for Food and Water" Special Publication - Royal Society of Chemistry, 272 pg. 194-201, 2001. ISBN 0-85404-779-4
- 18) G. Palleschi, D. Moscone, L. Micheli, D. Botta
Rapid detection of seafood toxins
In: "Safety and quality issues in fish processing" pg.142-160. Edited by H. Allan Bremner, CRC Press, Woodhead Publishing Limited, Cambridge, England, 2002.
- 19) Azize Amine, Laura Micheli, Danila Moscone, Giuseppe Palleschi
Rapid on-line analysis to ensure the safety of milk.
In: "Dairy processing, Improving quality", pg. 292-309. Edited by Gerrit Smit, CRC Press, Woodhead Publishing Limited, Cambridge, England, 2003.
- 20) Albertano P., Moscone D., Palleschi G., Hermosin B., Saiz-Jimenez C., Sanchez-Moral S., Hernandez-Marine M., Urzì C., Groth I., Schroechk V., Saarela M., Mattila-Sandholm T., Gallon J. R., Graziottin F., Bisconti F., Giuliani R.,
Cyanobacteria attack rocks (CATS): Control and preventive strategies to avoid damage caused by cyanobacteria and associated microorganisms in Roman Hypogeal Monuments.
In: Saiz-Jimenez, C. (Ed.), Molecular Biology and Cultural Heritage, pp. 151-162, Swets & Zeitlinger, Lisse (NL), ISBN 90 5809 555 X. 2003
- 21) G. Palleschi, D. Moscone, L. Micheli
The rapid detection of toxins in food: a case study
In: "Rapid and on line instrumentation for food quality assurance", pg.116-135. Edited by Ibtisam E. Tothill, Woodhead Publishing Limited, Cambridge, England, 2003

- 22) D. Moscone
 Coupling of microdialysis sampling with biosensing detection modes
 In: "Biosensors and Modern Biospecific Analytical Techniques", (Ed. L. Gorton), Vol. XLIV, Comprehensive Analytical Chemistry, ch. 12, pp. 579-626. Ser. Ed. D. Barceló), Elsevier, Amsterdam, 2005
- 23) Piermarini S., Calvo-Quintana J., Bruno L., Albertano P., Moscone D., Palleschi G.
 Importanza dei microsensori nella conservazione dei beni culturali.
 In: C. Sabbioni, F. Persia, L. Castelletti (eds.), *Biologia e archeobiologia nei beni culturali: conoscenza, problematiche e casi di studio*, pp. 229-235, New Press s.n.c., Como, 2006 ISBN88-85680-23-2.
- 24) Francesco Ricci, Danila Moscone, Giuseppe Palleschi
 Mediated Enzyme Screen Printed Electrode Probes for Clinical, Environmental and Food Analysis
 In: D. BARCELO'. *Comprehensive Analytical Chemistry*. (vol. 49, pp. 559-584). Elsevier, Amsterdam, 2007
- 25) Francesco Ricci, Danila Moscone, Giuseppe Palleschi
 Preparation of Prussian blue-modified screen-printed electrodes via a chemical deposition for mass production of stable hydrogen peroxide sensors.
 In: D. BARCELO'. *Comprehensive Analytical Chemistry*. (vol. 49, pp. E119-E124). (2007). Elsevier.
- 26) D.G. Mita, A. Attanasio, N. Diano, V. Grano, U. Bencivenga, S. Rossi, P. Canciglia, L. Mita, M. Portaccio, F. Arduini, A. Amine and D. Moscone
 Bioremediation and biodetermination of Bisphenol A (BPA) in aqueous solutions. In *The Endocrine Disruptors*, 2007, pg. 159-179, Maria Marino and Damiano Gustavo Mita Eds. Transworld Research Network, Kerala, India.
- 27) P. Albertano, R. Congestri, L. Micheli, D. Moscone, G. Palleschi
 Development of sensors to trace toxins from Dinoflagellates and other Algae to seafood. In *Algal Toxins: Nature, Occurrence, Effect and Detection*, pg. 301-310, V. Evangelista, L. Barsanti, A.M. Frassanito, V. Passarelli, P. Gualtieri Eds, Springer in cooperation with NATO, 2008, Dordrecht, The Netherlands. ISBN: 978-1-4020-8479-9
- 28) Fabiana Arduini, Aziz Amine, Danila Moscone, Giuseppe Palleschi
 Biosensors for Quality and Safety Control of Olive Oil: A Review. In: *Olive Oil and Health*. Editors: James D. Corrigan
 Nova Science Publishers, 2010, ISBN: 978-1-61761-170-4
- 29) Danila Moscone, Fabiana Arduini, Aziz Amine
 A Rapid Enzymatic Method for Aflatoxin B Detection
 In: *Microbial Toxins*, Otto Holst Ed. Humana Press Inc, (2011) Volume 739, Part 3, 217-235, DOI: 10.1007/978-1-61779-102-4_20, ISBN 978-1-61779-101-7 (Print) 978-1-61779-102-4 (Online)
- 30) D. Moscone, L. Micheli, G. Palleschi
 Biosensors for non invasive measurements
 In: *Biosensors for medical applications*, Edited by Seamus Higson, Woodhead Publishing, 2012, pg. 263-300, ISBN 978-1-84569-935-2 (print), 978-0-85709-718-7 (online)

MONOGRAFIE

- 1) G. Palleschi, D. Moscone, D. Compagnone
 Biosensori elettrochimici in medicina. Recenti applicazioni
Caleidoscopio, Medical System Ed. Genova, 1997

ARTICOLI SU RIVISTE INTERNAZIONALI/INTERNATIONAL JOURNALS PAPERS:

1. M. Mascini, D. Moscone, G. Palleschi
A Lactate electrode with lactate oxidase immobilized on nylon net for blood serum samples in flow systems.
Anal. Chim. Acta 157, (1984) 45-51
2. M. Mascini, S. Fortunati, D. Moscone, G. Palleschi
Ammonia abatement in flow system for creatinine determination in clinical samples.
Anal. Chim. Acta 171, (1985) 175-184
3. M. Mascini, S. Fortunati, D. Moscone, G. Palleschi, M. Massi, P. Fabietti
An L-lactate sensor with immobilized enzyme for use in vivo studies with an endocrine artificial pancreas.
Clin. Chem. 31, (1985) 451-453
4. M. Mascini, D. Moscone
Amperometric acetylcholine and choline sensors with immobilized enzymes.
Anal. Chim. Acta 179, (1986) 439-444
5. M. Mascini, F. Mazzei, D. Moscone, G. Calabrese, M. Massi- Benedetti
Lactate and Pyruvate Electrochemical Biosensors for Whole Blood in Extracorporeal Experiments with an Endocrine Artificial Pancreas.
Clin. Chem. 33, (1987) 591-593
6. M. Mascini, D. Moscone, G. Palleschi, R. Pilloton
In-line determination of Metabolites and Milk Components with electrochemical Biosensors.
Anal. Chim. Acta 213, (1988) 101-111.
7. D. Moscone, M. Mascini
Determination of Superoxide Dismutase activity with an electrochemical oxygen probe.
Anal. Chim. Acta 211, (1988) 195-204
8. M. Grilli Caiola, A. Canini and D. Moscone
Oxygen concentration, nitrogenase activity and heterocyst frequency in the leaf cavities of *Azolla filiculoides* Lam
FEMS Microbiology Letters 59 (1989) 283-288.
9. M. Mascini, M. Pizzichini, D. Moscone, R. Pilloton
On-line determination of glucose produced by hydrolysis of cellobiose realized with cellular bioreactor.
Biotechnology and Bioengineering, 34 (1989) 262-264.
10. M. Mascini G. Palleschi, D. Moscone and L. Bernardi
Extracorporeal determination of glucose, lactate and potassium with electrochemical biosensors
Journal of Pharmaceutical & Biomedical Analysis, 7 (12), (1989) 1377-1383.
11. G. Palleschi, M.G. Lavagnini, D. Moscone, R. Pilloton, D. D' Ottavio, M.E. Evangelisti
Determination of serum cholinesterase activity and dibucaine numbers by an amperometric choline sensor.
Biosensor 5 (1990) 27-35.
12. G. Palleschi, D. Moscone, M. Mascini
Electrochemical Biosensors For Extracorporeal Measurements
Biochemical Society Transactions 19 (1), (1991) 5-9.
13. D. Moscone, M. Pasini and M. Mascini
Subcutaneous microdialysis probe coupled with glucose biosensor for in vivo continuous monitoring
Talanta 39 (1992) 1039-44.
14. Mascini M., Moscone D., Bernardi L.
In vivo continuous monitoring of glucose by microdialysis and a glucose biosensor
Sensors and Actuators 6 (1-3), (1992) 143-145.

15. C. Caliendo, E. Verona, A. D'Amico, M. Mascini and D. Moscone
Acoustic Love-wave sensor for K⁺ concentration in H₂O solutions
Sensors and Actuators B, 7 (1992) 602-605
16. Palleschi, M. G. Lavagnini, D. Compagnone, P. Bertocchi and D. Moscone
Flow monitoring of Glutamate and Aspartate in Foods and Pharmaceutical Products with Immobilized Bienzyme Electrochemical Cells.
Electroanalysis, 4, (1992) 851-857
17. D. Moscone and M. Mascini
Microdialysis and Glucose Biosensor for in vivo monitoring
Annales de Biologie Clinique, 50 (1992) 323-327
18. M. G. Lavagnini, D. Moscone, G. Palleschi, D. Compagnone, C. Cremisini
Amperometric Lysine Bioprobe Analysis in Feeds
Talanta, 40, (1993) 1301-1306
19. D. Moscone, M. Mascini
Microdialysis coupled with glucose biosensors for subcutaneous monitoring
Analisis, 21/2, (1993) M40-M42
20. G. Palleschi, G. Volpe, D. Compagnone, M.G. Lavagnini, D. Moscone and A. Amine
Amperometric Alanine Electrode
Analytical Letters, 26 (1993) 1301-1319
21. D. Moscone, H. Yamanaka and M. Mascini
Biosensors for Glucose Needle-Shaped for *in vivo* Monitoring
Russian Journal of Electrochemistry, 29 (1993) 1522-1526.
22. G. Palleschi, P. Bertocchi, D. Compagnone, M.G. Lavagnini, D. Moscone and G. Volpe
Electrochemical Biocells for Continuous Monitoring of Aminoacids in Food
Life Chemistry Reports, 11 (1994) 419-431
23. M. Bugli, D. Moscone, P. Rodinò, G. Palleschi
Construction and evaluation of a needle glucose probe for *in vivo* monitoring
Clinical Chemistry Enzyme Com, 7 (1995) 17-28
24. G. Volpe, D. Moscone, D. Compagnone, G. Palleschi
In vivo continuous monitoring of L-lactate coupling subcutaneous microdialysis and electrochemical biocell.
Sensors and Actuators B, 24-25, (1995) 138-141.
25. O. Elekes, D. Moscone, K. Venema and J. Korf
Bienzyme reactor for electrochemical detection of low concentrations of uric acid and glucose
Clinica Chimica Acta, 239 (1995) 153-165
26. D. Moscone, K. Venema, J. Korf
Ultrafiltrate sampling device for continuous monitoring
Medical & Biological Engineering & Computing, 34 (1996) 290-294
27. M. Cheregi, C. Matachescu, D. Moscone and A. Ciucu
Glucose and lactate biosensors coupled with microdialysis probe for continuous monitoring
South. Braz. J. Chem., 4, (1996) 9-17.
28. G. Paradossi, E. Chiessi, F. Cavalieri, D. Moscone and V. Crescenzi
Networks based on Chitosan and Oxidized Cyclodextrin. Part II. Structural and catalytic features of a copper (II) loaded network.
Polymer Gels and Networks, 5 (1997) 525-540.

29. E. Marconi, C. Baldino, M.C. Messia, R. Cubadda, D. Moscone and G. Palleschi
Determination of Damaged Starch in Wheat Flour using an electrochemical bienzyme maltose probe.
Analytical Letters, 31(5), (1998) 733-749.
30. . Moscone, R.A. Bernardo, E. Marconi, A. Amine and G. Palleschi
Rapid determination of lactulose in milk by microdialysis and biosensors.
Analyst, 124, (1999) 325-329
31. . Amine, D. Moscone and G. Palleschi
Rapid determination of lactulose in milk using Seliwanoff's Reaction
Analytical Letters, 33 (2000) 125-135
32. A. Amine, D. Moscone, R.A. Bernardo, E. Marconi, and G. Palleschi
A new enzymatic spectrophotometric assay for the determination of lactulose in milk
Anal. Chim. Acta, 406 (2000) 217-224
33. D. Moscone, A. Sbrilli, G. Palleschi, V. Carunchio
Fast Amperometric Determination of Enzymatic activity of Glutaminase
Analytical Letters, 33 (4) (2000) 615-627
34. P. Albertano, L. Bruno, D. D'Ottavi, D. Moscone & G. Palleschi
Effect of photosynthesis on pH variation in cyanobacterial biofilms from Roman catacombs
J. of Applied Phicology, 12 (2000) 379-384
35. A. J. Killard, L. Micheli, K. Grennan, M. Franek, V. Kolar, D.Moscone, I. Palchetti & M. R. Smyth
Amperometric separation-free immunosensor for real-time environmental monitoring
Analytica Chimica Acta, 427:2 (2001) 173-180
36. D. Compagnone, G. Isoldi, D. Moscone, G. Palleschi,
Amperometric Detection Of Biogenic Amines In Cheese Using Immobilised Diamine Oxidase
Analytical Letters, 34 (6) (2001) 841-854
37. D. Moscone, D. D'Ottavi, D. Compagnone, G. Palleschi and A. Amine
Construction and analytical characterisation of Prussian Blue based carbon paste electrodes and their
assembling as oxidase enzyme sensors
Analytical Chemistry, 73 (2001) 2529-2535
38. M. Badea, A. Amine, G. Palleschi, D. Moscone, G. Volpe and A. Curulli.
New Electrochemical Sensors for the Detection of Nitrites and Nitrates.
J. of Electroanal. Chem, 509 (2001) 66-72
39. Badea, M.; Curulli, A.; Danet, A.; Moscone, D.; Palleschi, G.
New electrochemical sensors used in flow injection analysis for nitrite/nitrate determination
UPB Scientific Bulletin, Series B: Chemistry and Materials Science (2001), 63 (3), 329-338.
40. L.V. Lukakova, E.A. Kotel'nikova, D. D'Ottavi, E.A. Shkerin, E.E. Karyakina, D. Moscone, G. Palleschi,
A. Curulli, A.A. Karyakin
Electrosynthesis of poly-*o*-diaminobenzene on the Prussian Blue modified electrodes for
improvement of hydrogen peroxide transducer characteristics.
Bioelectrochemistry, 55 (2002) 145-148
41. L. Micheli, S. Di Stefano, D. Moscone, G. Palleschi, S. Marini, M. Coletta, R. Draisici, F. Delli Quadri
Production of antibodies and development of highly sensitive immunoassay for Saxitoxin analysis
Anal Bioanal Chem 373 (2002) 678-684
42. F. Ricci, A. Amine, G. Palleschi and D. Moscone
Prussian Blue based screen printed biosensors with improved characteristics of long-term lifetime and
pH stability
Biosensors and Bioelectronics, 18 (2003) 165-174

43. M. Esti, G. Volpe, D. Compagnone, G. Mariotti, D. Moscone, and G. Palleschi
Red Winemaking: Alcoholic Fermentation Monitoring by Electrochemical Biosensors in Industrial Scale Plants
American Journal of Enology and Viticulture, 54 (2003) 39-45
44. F. Ricci, A. Amine, C. S. Tuta, A. A. Ciucu, F. Lucarelli, G. Palleschi, D. Moscone
Prussian Blue and enzyme bulk modified Screen Printed Electrodes for hydrogen peroxide and glucose determination with improved characteristic of storage and operational stability
Analytica Chimica Acta 485 (2003) 111-120
45. A. Poscia, M. Mascini, D. Moscone, M. Luzzana, G. Caramenti, P. Cremonesi, F. Valgimigli, C. Bongiovanni, M. Varalli
A microdialysis technique for continuous subcutaneous glucose monitoring in diabetic patients
Biosensors and Bioelectronics 18 (2003) 891-898
46. E.A. Ulasova, L. Micheli, L. Vasii, D. Moscone, G. Palleschi, S.V. Vdovichev, A.V. Zorin, S.A. Krutovertsev, E.E. Karyakina, A.A. Karyakin
Flow-injection analysis of residual glucose in wines using a semiautomatic analyzer equipped with a Prussian Blue based biosensor
Electroanalysis, 15 (2003) N5-6, 447-451
47. Lilia V. Lukachova, Elena A. Kotel'nikova, Daniele D'Ottavi, Egor A. Shkerin, Elena E. Karyakina, Danila Moscone^b, Giuseppe Palleschi, Antonella Curulli, Arkady A. Karyakin
Non-Conducting Polymers on Prussian Blue Modified Electrodes: Improvement of Selectivity and Stability of the Advanced H₂O₂ Transducer
IEEE, Sensors Journal, 3 (2003) 326-332
48. F. Ricci, A. Amine, D. Moscone, G.e Palleschi.
Prussian Blue Modified Carbon Nanotube Paste Electrodes: A Comparative Study And A Biochemical Application
Analytical Letters 36 (2003) 1921-1938
49. F. Ricci, C. Gonçalves, A. Amine, L. Gorton, G. Palleschi, D. Moscone
Electroanalytical Study of Prussian Blue Modified Glassy Carbon Paste Electrodes
Electroanalysis, 15 (2003) 1204-1211
50. A. Ivanov, G. Evtugyn, H. Budnikov, F. Ricci, D. Moscone, G. Palleschi
Cholinesterase sensors based on screen-printed electrodes for detection of organophosphorus and carbamic pesticides
Analytical and Bioanalytical Chemistry 377 (2003) 624 - 631
51. E. Marconi, A. Amine, D. Moscone, G. Palleschi F. Stocchi, E. Bassi, F. Vernazza
Heat-treated milk differentiation by a sensitive lactulose assay
Food Chemistry 84 (2004) 447-450
52. F. Ricci, F. Arduini, A. Amine, L. Gorton, D. Moscone, G. Palleschi
Characterisation of Prussian Blue modified screen printed electrodes for thiol detection.
J. of Electroanal. Chem., 563, Issue 2 (2004) 229-237
53. J. Calvo Quintana, L. Idrissi, P. Albertano, G. Palleschi D. Moscone A. Amine, M. El Rhazi
Investigation of amperometric detection of phosphate. Application in seawater and cyanobacterial biofilm samples
Talanta 63 (2004) 567-574
54. M. Esti, G. Volpe, L. Micheli, E. Delibato, D. Compagnone, D. Moscone, G. Palleschi
Electrochemical biosensors for monitoring malolactic fermentation in red wine using two strains of *Oenococcus oeni*
Analytica Chimica Acta, 513, (2004), 357-364

55. L. Micheli, A. Radoi, R. Guerrina, R. Massaud, P. Bertucci, C. Bala, D. Moscone, G. Palleschi
Disposable Immunosensor for the Determination of Domoic Acid in Shellfish
Biosensors and Bioelectronics, 20 (2004) 190–196
56. M. Badea, A. Amine, M. Benzine, A. Curulli, D. Moscone, A. Lupu, G. Volpe and G. Palleschi
An Electrochemical Procedure for Nitrite Determination in Cured Meat in Presence of Ascorbic Acid
Microchimica Acta , 147, (2004) 51–58
57. M. Badea, L. Micheli, M.C. Messia, T. Candigliota, E. Marconi, T. Mottram, M. Velasco Garcia, Moscone D., Palleschi G.
Aflatoxin M1 determination in raw milk using a flow-injection immunoassay system.
Analytica Chimica Acta. 520 (2004)141-148
58. Poscia A., Messeri D, Moscone D., Ricci F., Valgimigli F.
A novel continuous subcutaneous lactate monitoring system
Biosensors and Bioelectronics, 20 (2005) 2244-2250
59. F. Ricci, D. Moscone, C.S. Tuta, G. Palleschi, A. Amine, A. Poschia, F. Valgimigli, D. Messeri
Novel planar glucose biosensors for continuous monitoring use
Biosensors and Bioelectronics, 20 (2005) 1993-2000
60. Micheli L., Grecco R., Badea M., Moscone D., Palleschi P.
An electrochemical immunosensor for aflatoxin M1 determination in milk using screen-printing electrodes.
Biosensors and Bioelectronics 21 (2005) 588–596
61. E. Delibato; M. Bancone; G. Volpe; D. De Medici; D. Moscone; G. Palleschi
Development and Comparative Evaluation of Different Screening Methods for Detection of
Staphylococcus aureus
Anal. Letters, 38 (2005) 1569-1586
62. E. Suprun, G. Evtugyn, H. Budnikov, F. Ricci, D. Moscone, G. Palleschi
Acetylcholinesterase Sensor Based on Screen-Printed Carbon Electrode Modified with Prussian Blue
Anal. Bional. Chemistr 383 (2005) 597–604
63. F. Arduini, F. Ricci, I. Bourais, A. Amine, D. Moscone, G. Palleschi.
Extraction and detection of pesticides by cholinesterase inhibition in a two-phase system: a strategy to avoid heavy metal interference.
Anal. Letters 38 (2005) 703–1719
64. F. Ricci, F. Arduini, C. S. Tuta, U. Sozzo, D. Moscone, A. Amine, G. Palleschi
Glutathione amperometric detection based on a thiol-disulfide exchange reaction
Analytica Chimica Acta 558 (2006) 164–170
65. G. Volpe, N. H. Ammida, D. Moscone, L. Occhipinti, G. Palleschi
Development of an Immunomagnetic Electrochemical Sensor for Detection of Bt-Cry 1Ab/Cry1Ac Proteins in Genetically Modified Corn Samples.
Anal. Letters, 39, (2006) 1599–1609
66. N. H. S. Ammida, Laura Micheli, S. Piermarini, D. Moscone, G. Palleschi
Detection of Aflatoxin B₁ in Barley: Comparative Study of Immunosensor and HPLC
Anal. Letters 39, (2006) 1559–1572
67. E. Delibato, G. Volpe, D. Stangalini, D. De Medici, D. Moscone and G. Palleschi
Development of Sybr-Green Real-Time PCR and a Multichannel Electrochemical Immunosensor for Specific Detection of *Salmonella Enterica*
Anal. Letters 39, (2006) 1611–1625
68. I. Bourais, A. Amine, D. Moscone, G. Palleschi
Investigation of glycated protein assay for assessing heat treatment effect in food samples and protein-sugar model.
Food Chemistry 96 (2006) 485–490

69. Arduini, Fabiana; Ricci, Francesco; Tuta, Catalin S.; Moscone, Danila; Amine, Aziz; Palleschi, Giuseppe
Detection of carbamic and organophosphorous pesticides in water samples using a cholinesterase biosensor based on Prussian Blue-modified screen-printed electrodes
Analytica Chimica Acta 580 (2006) pp. 155-162
70. Volpe, G.; Fares, G.; Quadri, F. delli; Draisici, R.; Ferretti, G.; Marchiafava, C.; Moscone, D.; et. al.
A disposable immunosensor for detection of 17 β -estradiol in non-extracted bovine serum
Analytica Chimica Acta Volume: 572, Issue: 1, July 14, 2006, pp. 11-16
71. Bourais, Ilhame; Amine, Aziz; Venanzi, Mariano; Micheli, Laura; Moscone, Danila; Palleschi, Giuseppe
Development and Application of a Two-Phase Clean-Up System in Food Samples Prior to Fluorescence Analysis of Aflatoxins
Microchimica Acta 153 (2006) 101 – 108
72. S. Piermarini; G. Volpe; F. Ricci; L. Micheli, D. Moscone; G. Palleschi; M. Führer; R. Krska; S. Baumgartner
Rapid Screening Electrochemical Methods for Aflatoxin B₁ and Type-A Trichothecenes: A Preliminary Study
Analytical Letters,
<http://www.informaworld.com/smpp/title~content=t713597227~db=all~tab=issueslist~branches=40-v4040>, (2007) , 1333 – 1346
73. Ricci F, Caprio F, Poscia A, Valgimigli F, Messeri D, Lepori E, Dall'Oglio G, Palleschi G, Moscone D.
Toward continuous glucose monitoring with planar modified biosensors and microdialysis Study of temperature, oxygen dependence and in vivo experiment.
Biosensors and Bioelectronics 22 (2007):2032-9
74. S. Piermarini, L. Micheli, N.H.S. Ammida, G. Palleschi, D. Moscone
Electrochemical immunosensor array using a 96-well screen-printed microplate for aflatoxin B₁ detection
Biosensors and Bioelectronics, 22 (2007) 1434–1440
75. V. Biagiotti, F. Valentini, D. Moscone, G. Palleschi
Synthesis and characterization of polymeric films and nanotubule nets used to assemble selective sensors for nitrite detection in drinking water
Sensors and Actuators, 122 (2007), 236-242
76. F. Ricci, A. Amine, D. Moscone, G. Palleschi
A probe for NADH and H₂O₂ amperometric detection at low applied potential for oxidase and dehydrogenase based biosensor applications
Biosensors and Bioelectronics 22 (2007) 854-62
77. F. Arduini, I. Errico, A. Amine, L. Micheli, G. Palleschi, and D Moscone
Enzymatic Spectrophotometric Method for Aflatoxin B Detection Based on Acetylcholinesterase Inhibition
Anal. Chem. 79 (2007) 3409-3415
78. D.G. Mita, A. Attanasio, F. Arduini, N. Diano, V. Grano, U. Bencivenga, S. Rossi, A. Amine and D. Moscone
Enzymatic determination of BPA by means of tyrosinase immobilized on different carbon carriers
Biosensors and Bioelectronics, 23 (2007) 60-65,
79. F. Arduini, A. Amine, D. Moscone & Francesco Ricci & Giuseppe Palleschi
Fast, sensitive and cost-effective detection of nerve agents in the gas phase using a portable instrument and an electrochemical biosensor
Anal Bioanal Chem 388 (2007) 1049–1057
80. F. Ricci, D.Moscone, G. Palleschi
Ex-vivo continuous glucose monitoring with microdialysis technique: the example of GlucoDay®
IEEE Sensors Journal, 8, (2008) 63 - 70

81. Radoi, A., Compagnone, D., Valcarcel, M.A., Placidi, P., Materazzi, S., Moscone, D., Palleschi, G. Detection of NADH via electrocatalytic oxidation at single-walled carbon nanotubes modified with Variamine blue
Electrochimica Acta, **53** (5), (2008) 2161-2169
82. M. L. Antonelli, F. Arduini, A. Laganà, D. Moscone, V. Siliprandi
Construction, assembling and application of a Trehalase-GOD enzyme electrode system
Biosensors and Bioelectronics, **24** (2009) 1382-1388
83. S. Piermarini, G. Volpe, L. Micheli, Moscone D., G. Palleschi.
An ELIME-array for detection of aflatoxin B₁ in corn samples.
Food Chemistry, **20**; (2009) 371-375
84. I. Ben Rejeb, F. Arduini, A. Arvinte, A. Amine, D. Moscone, M. Gargouri, G. Palleschi
Development of a biosensor for AFB₁ detection in olive oil samples
Biosensors and Bioelectronics **24** (2009) 1962–1968
85. G. Volpe, E. Cotroneo, D. Moscone, L. Croci, L. Cozzi, G. Ciccaglioni, and G. Palleschi
A bi-enzyme electrochemical probe for flow injection analysis of okadaic acid based on PP2A inhibition.
Analytical Biochemistry, **385** (2009) 50–56
86. S. Piermarini, G. Volpe, L. Micheli, D. Moscone, and G. Palleschi
An ELIME-array for detection of aflatoxin B₁ in corn samples
Food Control, **20** (2009) 371–375
87. F. Arduini, A. Cassisi; A. Amine; F. Ricci; D. Moscone; G. Palleschi
Electrocatalytic oxidation of thiocholine at chemically modified cobalt hexacyanoferrate screen-printed electrodes
Journal of Electroanalytical Chemistry **626** (2009) 66-74
88. F. Ricci, N. Zari, F. Caprio, S. Recine, A. Amine, D. Moscone, G. Palleschi, K. W. Plaxco
Surface chemistry effects on the performance of an electrochemical DNA sensor
Bioelectrochemistry, **76** (2009) 208-213
89. F. Ricci, P. Flavio, M. Abagnale, M. C. Messia, E. Marconi, G. Volpe, D. Moscone, G. Palleschi
Direct electrochemical detection of trichothecenes in wheat samples using a 96-well electrochemical plate coupled with microwave hydrolysis
World Mycotoxin Journal **2** (2009) 239-245
90. JM Legramante, F Valentini, A Magrini, G Palleschi, S Sacco, I Iavicoli, M Pallante, D Moscone, A Galante, E Bergamaschi, A Bergamaschi and A Pietroiusti
Cardiac autonomic regulation after lung exposure to carbon nanotubes
Human & Experimental Toxicology **28** (2009) 369-75
91. Fabiana Arduini; Aziz Amine; Danila Moscone; Giuseppe Palleschi
Reversible Enzyme Inhibition-Based Biosensors: Applications and Analytical Improvement Through Diagnostic Inhibition
Analytical Letters, **42** (2009) 1258-1293
92. E. Delibato, G. Volpe, D. Romanazzo, D. De Medici, L. Toti, D. Moscone, G. Palleschi
Development and Application of an Electrochemical Plate Coupled with Immunomagnetic Beads (ELIME) Array for *Salmonella enterica* Detection in Meat Samples
J. Agric. Food Chem. 2009, 57, 7200–7204
93. Laura Micheli; Daniela Neagu; Serenella Perrino; Giuseppe Palleschi; Danila Moscone
Aflatoxin M1 determination and stability study in milk samples using a screen printed 96-well electrochemical microplate
International Dairy Journal, **19** (2009) 753–758

94. D. Neagu, A. Capodilupo, A. Vilkanauskyte, L. Micheli, G. Palleschi, and D. Moscone
AFB1-AP Conjugate for Enzyme Immunoassay of Aflatoxin B1 in Corn Samples
Analytical Letters, **42** (2009) 1170–1186,
95. F. Arduini, A. Amine, C. Majorani, F.D. Giorgio, D.D. Felicis, F. Cataldo, D. Moscone, G. Palleschi,
High performance electrochemical sensor based on modified screen-printed electrodes with
costeffective dispersion of nanostructured carbon black
Electrochemistry Communications **12** (2010) 346–350
96. F. Ricci, G. Adornetto, D. Moscone, K.W. Plaxco, D. Palleschi
Quantitative, reagentless, single step electrochemical detection of anti-DNA antibodies directly in blood
serum
Chem. Commun **46** (2010). 1742-1744
97. M. Portaccio; D. Di Tuoro; F. Arduini; M. Lepore; D.G. Mita; N. Diano; L. Mita; D. Moscone
A thionine-modified carbon paste amperometric biosensor for catechol and bisphenol A determination
Biosensors and Bioelectronics, **25** (2010) 2003-2008
98. F. Arduini, F. Di Giorgio, A. Amine, F. Cataldo, D. Moscone, G. Palleschi
Electroanalytical characterization of carbon black nanomaterial paste electrode. Development of highly
sensitive tyrosinase biosensor for catechol detection.
Analytical Letters **43** (2010) 1688-1702
99. F. Arduini, A. Amine, D. Moscone, G. Palleschi
Biosensors based on cholinesterase inhibition for insecticides, nerve agents and aflatoxin B1 detection
Microchimica Acta, **170** (2010) 193–214
100. D. Romanazzo, F. Ricci, G. Volpe, C. Elliott, S. Vesco, K. Kroeger, D. Moscone, J. Stroka, H. Van Egmond, M. Vehniäinen, G. Palleschi
Development of a recombinant Fab-fragment based electrochemical immunosensor array for
deoxynivalenol detection in food samples.
Biosensors and Bioelectronics **25** (2010) 2615-2621
Piermarini, S., Volpe, G., Federico, R., Moscone, D., Palleschi, G.
101. Detection of biogenic amines in human saliva using a screen-printed biosensor
Analytical Letters **43** (2010) 1310-1316
Radoi, A., Moscone, D., Palleschi, G.
102. Sensing the lactic acid in probiotic yogurts using an l-lactate biosensor coupled with a microdialysis fiber
inserted in a flow analysis system
Analytical Letters **43** (2010) 1301-1309
Adriana Patterson, Felice Caprio, Alexis Vallée-Bélisle, Danila Moscone, Kevin W. Plaxco, Giuseppe
Palleschi, and Francesco Ricci
103. Using Triplex Forming Oligonucleotide probes for the reagentless, electrochemical detection of double-
stranded DNA
Anal. Chem., **82** (2010), 9109–9115
Fabiana Arduini, Josefina Quintana Calvo, Aziz Amine, Giuseppe Palleschi, Danila Moscone
104. Bismuth-Modified Electrodes for Lead Detection
Trends in Analytical Chemistry. **29** (2010) 1295-1304
Daniela Sordi, Fabiana Arduini, Valeria Conte, Danila Moscone, Giuseppe Palleschi
105. Real Time Monitoring of Hydrogen Peroxide Consumption in an Oxidation Reaction in Molecular Solvent
and Ionic Liquids by Hydrogen Peroxide Electrochemical Sensor
ChemSusChem **4** (2011), 792-796

106. Arduini, Fabiana; Majorani, Costanza; Amine, Aziz; Moscone, Danila; Palleschi, Giuseppe
Hg²⁺ detection by measuring thiol groups with a highly sensitive screen-printed electrode modified with a nanostructured carbon black film
Electrochimica Acta, 56 (2011) (11), 4209-4215
107. A.N.Ivanov, R.R.Younusov, G.A.Evtugyn, G.Palleschi, F.Arduini, D. Moscone
Acetylcholinesterase biosensor based on Single-Walled Carbon Nanotubes – Co-Phtalocyanine for Organophosphorus Pesticide and Aflatoxin B₁ detection.
Talanta 85 (2011) 216–221
108. Moscone, D., Arduini, F., Amine, A.
A rapid enzymatic method for aflatoxin B detection.
Methods in molecular biology (Clifton, N.J.) 739, (2011) 217-235
109. D. Di Tuoro, M. Portaccio, M. Lepore, A. Vitiello, F. Arduini, D. Moscone, U.Bencivenga and D.G. Mita
An acetylcholinesterase biosensor for determination of low concentrations of Paraoxon and Dichlorvos.
New Biotechnology 29 (2011) 132-138
110. J. Calvo Quintana; A. Amine; F. Punzo; G. Li Destri; C. Bianchini; D. Zane; A. Curulli; G. Palleschi; D. Moscone
A comparative study of bismuth-modified screen-printed electrode for lead detection (part one)
Analitica Chimica Acta 707 (2011) 171-177
111. F.Arduini, D. Neagu, S. Dall'Oglio, D. Moscone, G. Palleschi
Towards a portable prototype based on electrochemical cholinesterase biosensor to be assembled to soldier overall for nerve agent detection
Electroanalysis, Volume 24 (2012) 581–590 DOI: 10.1002/elan.201100540
112. G. Adornetto, G. Volpe, A. De Stefano, S. Martini, G. Gallucci, A. Manzoni, S. Bernardini, M. Mascini, D. Moscone.
An ELIME assay for the rapid diagnosis of coeliac disease
Analytical and Bioanalytical Chemistry, Volume 403, 4 (2012), 1191-1194,
113. F.Arduini, F. Di Nardo, A. Amine, L. Micheli, G. Palleschi , D. Moscone
Carbon black-modified screen-printed electrodes as electroanalytical tools
Electroanalysis, 24 (4) (2012) 743-751 DOI: 10.1002/elan.201100561
114. J. Calvo Quintana, F. Arduini, A. Amine, K. van Velzen, G. Palleschi, D. Moscone
Analytical optimizations of a procedure for lead detection in milk by means of bismuth-modified screen-printed electrodes (part two)
Analitica Chimica Acta 736 (2012) 92– 99 DOI: 10.1016/j.aca.2012.05.042
115. F. Lucarelli, F. Ricci, F. Caprio, F. Valgimigli, C. Scuffi, D. Moscone, G.Palleschi
GlucoMen Day Continuous Glucose Monitoring System: A Screening for Enzymatic and Electrochemical Interferents
Journal of Diabetes Science and Technology 2012; 6(5):1172-81.
116. Viviana Scognamiglio, Italo Pezzotti; Gianni Pezzotti; Juan Cano; Ivano Manfredonia; Katia Buonasera; Fabiana Arduini; Danila Moscone; Giuseppe Palleschi; Maria Teresa Giardi
Towards an integrated biosensor array for simultaneous and rapid multi-analysis of endocrine disrupting chemicals
Analitica Chimica Acta, 751 (2012) 161– 170
117. Elena V. Suprun, Fabiana Arduini, Danila Moscone, Giuseppe Palleschi, Victoria V. Shumyantseva, Alexander I. Archakov
Direct electrochemistry of Heme Proteins on Electrodes Modified with Didodecyldimethyl Ammonium Bromide and Carbon Black
Electroanalysis, 24 10 (2012) 1923–1931

118. G. Volpe, U. Sozzo, S. Piermarini, E. Delibato, G. Palleschi, D. Moscone
 Towards the development of a single-step immunosensor based on an electrochemical screen-printed electrode strip coupled with immunomagnetic beads
Analytical and Bioanalytical Chemistry 405 (2013) (2-3):655-663
119. Fabiana Arduini, Simone Guidone, Aziz Amine, Giuseppe Palleschi, Danila Moscone
 Acetylcholinesterase biosensor based on self-assembled monolayer-modified gold-screen printed electrodes for organophosphorus insecticide detection
Sensors & Actuators, B. 179 (2013) 201– 208 DOI information: 10.1016/j.snb.2012.10.016
120. M. Portaccio, D. Di Tuoro, F. Arduini, D. Moscone, M. Cammarota, D.G. Mita, M. Lepore
 Laccase Biosensor Based On Screen-Printed Electrode Modified With Thionine-Carbon Black Nanocomposite For Bisphenol A Detection
Electrochimica Acta, 109 (2013)340-347
121. Aziz Amine, Loubna El Harrad, Fabiana Arduini, Danila Moscone, Giuseppe Palleschi
 Analytical aspects of enzyme reversible inhibition
Talanta, 118 (2014) 368-374; <http://dx.doi.org/10.1016/j.talanta.2013.10.025>
122. L. Camilli, C. Pisani, E. Gautron, M. Scarselli, P. Castrucci, F. D'Orazio, V. Grossi, M. Passacantando, D. Moscone, M. De Crescenzi
 A three-dimensional carbon nanotube network for water treatment
Nanotechnology 25 (2014) 065701 (7pp)
123. S Cinti, D. Moscone, G. Palleschi, F. Arduini
 Stripping analysis of As³⁺ by means of screen-printed electrodes modified with gold nanoparticles and carbon black nanocomposite
Electroanalysis, Accepted
124. A. De Stefano, G. Volpe, G. Adornetto, S. Bernardini, M. Nuccetelli, G. Gallucci, L. Ruvo, D. Moscone.
 Development of a very sensitive ELIME assay for detection of sIgE to G5 and D2 aeroallergens in serum samples.
Electroanalysis, Accepted
125. Daniela Neagu; Fabiana Arduini; Josefina Quintana Calvo; Patrizia Di Cori; Cinzia Forni; Danila Moscone
 Evaluation of phytoremediation potential of the aquatic plant Lemna minor L. towards Pb²⁺ or/and Cd²⁺ using a miniaturised environmental friendly sensor
Submitted
126. Fabiana Arduini; Matteo Forchielli; Aziz Amine; Daniela Neagu; Ilaria Cacciotti; Francesca Nanni; Giuseppe Palleschi; Danila Moscone
 Butyrylcholinesterase biosensor based on a screen-printed electrode modified with cost-effective carbon black for organophosphate detection in waste waters
Submitted

Articoli su riviste nazionali:

- 1) M. Mascini, G. Palleschi, D. Moscone
 Accoppiamento di sistemi enzimatici con elettrodi specifici.
Cosmetic News 31, (1983) 270
- 2) M. Mascini, G. Palleschi, D. Moscone
 Enzimi immobilizzati su reti di nylon per ottenere dei "Supersensori". I, Sensori con un solo enzima immobilizzato.
Rass. Chim. 1, (1984) 3-9

- 3) M. Mascini, G. Palleschi, D. Moscone
Enzimi immobilizzati su reti di nylon per ottenere dei "Supersensori". II, Sensori con due enzimi immobilizzati.
Rass. Chim. 2, (1984) 75
- 4) M. Mascini, S. Fortunati, D. Moscone, G. Palleschi
Determinazione di proteine con un sistema a flusso continuo ed enzimi immobilizzati.
Rass. Chim. 4, (1984) 193
- 5) M. Mascini, D. Moscone, G. Palleschi
Elettrodi ad enzimi, a batteri, ad anticorpi ed a tessuti viventi. Applicazioni per la Chimica Clinica e la Biologia.
Biochimica Clinica 8, 1984 pag. 2271
- 6) M. Mascini, M. Moscone, R. Pilloton
Pyruvate and Lactate Electrochemical Sensor Realised with Immobilised Enzymes for control in Artificial Pancreas.
Annali di Chimica, 77 (1987) 813-824.
- 7) D. Moscone
Microdialisi e Biosensori
Biochimica Clinica, 18-3 (1994) 227-231
- 8) E. Marconi, R.A. Bernardo, D. Moscone and G. Palleschi
"Determinazione rapida e on line del lattulosio nel latte mediante un reattore a B-galattosidasi ed un biosensore a fruttosio"
Scienza e Tecnica Lattiero-Casearia, 50-2 (1999) 105-114
- 9) G. Palleschi, D. Compagnone, D. Moscone, G. Isoldi, M. Pallini, G. Volpe, M. Esti, E. Marconi
Biosensori elettrochimici per applicazioni analitiche nel settore lattiero-caseario
Scienza e Tecnica Lattiero-Casearia, 51-3 (2000) 164-180
- 10) Palleschi, G.; Compagnone, D.; Moscone, D.; Volpe, G
Utilization of biosensors in food quality controls
Rivista di Scienza dell'Alimentazione ISSN0391-4887 Vol. 30(suppl.3) (2000) 67-73